

Table Embedded Chairman Microphone

Conference System



DESCRIPTION

The NVS-DC600111CM is a Table Embedded Chairman Microphone. It is an electret cardioid condenser microphone with gooseneck design and with windshield cover. The device has two color indicators; red indicates speaking, and green indicates applying to speak. The chairman Mic has priority functions. It can be configured using PC software or the host NVS-DC600013CH.

FEATURES


- ◉ Conforms to IEC 60914 international standard
- ◉ 3.5mm stereo earphone jack and the volume can be adjustable
- ◉ Every Mic with unique ID code
- ◉ With camera tracking function
- ◉ Support cascaded linkage, T shape linkage or + shape linkage
- ◉ Connect with voting units via NVS-DC600157JB
- ◉ Convenient for use
- ◉ Mic pole detachable
- ◉ Embedded design
- ◉ Power supply from the host/extender

Specifications	
Model	NVS-DC600111CM
Capsule Type	Electret Cardioid Condenser
Speaker Power	1.5 W
Frequency Response	45Hz-18kHz (-3dB)
Signal to Noise Ratio	>80dB
Sensitivity	45dBV/pa
Total Harmonic Distortion	<0.5%
Mic Frequency Response	40Hz-20kHz (-3dB)
Mic Maximum SPL	125dB (THD<3%)
Earphone Output	9dBu, 8-32Ω, 3.5mm


Table Embedded Chairman Microphone

Stand-by Power Consumption	<1 W
Maximum Power Consumption	2 W
Working Power	DC 24V
Weight (with Mic Pole)	0.55 Kg
Dimensions (without Mic Pole)	140x53mm

FRONT PANEL



REAR PANEL



ORDERING INFORMATION

Part Number	Description	Standard Quantity
NVS-DC600111CM	Table Embedded Chairman Microphone	01

ACCESSORIES INFORMATION

Table Embedded Chairman Microphone

Description	Standard Quantity
Cross-shaped Connector	1
8-pin Cable (Male-Female)	1
Cross Recessed Half-round Head Screw Bright Black	8
Chassis Accessory	4
Butterfly-shaped Screw	8
Microphone Cap	2