8CH EMBEDDED NETWORK VIDEO RECORDER



ENR-01008-N-MPK

FEATURES

8 Channel Input

Support Enhanced (H.265, H.264), H.265, H.264 Video Formats

1 SATA HDD

HDMI and VGA Simultaneous Output

ONVIF Profile (S, G, T)

PoE Support























SPECIFICATION

3F E	SPECIFICATION					
DEL	Model No.	ENR-010 08-N-MPK				
MODEL	Туре	8CH EMBEDDED NETWORK VIDEO RECORDER				
& AUDIO	Video Input	8-Ch (Upgradable to 10 Channels)				
	Incoming Bandwidth	80 Mbps				
	Outgoing Bandwidth	80 Mbps				
	HDMI / VGA Output	HDMl: 3840x2160, 2560x1440, 1920x1080, 1440x900, 1280x800, 1280x720, 1024x768 VGA: 1920x1080, 1440x900, 1280x800, 1280x720, 1024x768				
	Audio I/O	1-Ch Input (3.5 mm) / 1-Ch Output (RCA)				
VIDEO	Two-way Audio	Supported				
>	Screen Split	1/2/3/4/5/6/7/8/9/10				
	Video Encryption	Supported				
	OSD Type	Title, Week, Date, Time, Text with different colors and adaptable sizes				
	Video Compression	H.265+, H.265, H.264				
	Video Bit Rate	32 kbps ~ 16 Mbps (per channel), CBR, VBR				
<u> </u>	Audio Compression	G.711A/G.711U				
	Audio Bit Rate	8 kbps ~ 48 kbps				
DECODING	Recording Resolution	8MP/7MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIF				
풉	Recording Mode	Continuous, Manual, Event (Pre/Post, Motion etc.), Schedule, ANR, Record Interval by Time / Size				
	Pre/Post Record Time	Pre (5~60 sec); Post (10~600 sec)				
	Fisheye Camera	N/A				
	De-warping	N/A				
	Preview Capability	2x8MP/2x6MP/3x5MP/4x4MP/5x3MP/8x1080P/16x720P				
	Synchronous Playback	2x8MP/2x6MP/3x5MP/4x4MP/5x3MP/8x1080P/8x720P				
U	Live View Functions	Screen matrix, Stream type, System alarm, Snapshot, Record, Talkback, Volume adjustment, Full screen, Digital zoom				
MONITORING	Playback Functions	Sync playback, Play, Pause, Stop, Fast play, Slow play, Full Screen, Backup selection, Snapshot, Clip management, Screen matrix, Stream type				
	Corridor Mode	Supported				
	Backup Mode	USB, Network, SATA burner				
	Export Picture Format	JPG				
	Export Video Format	MP4, SDV, AVI				
	Download from Edge storage	MP4, SDV, AVI				


8CH EMBEDDED NETWORK VIDEO RECORDER



ENR-01008-N-MPK

Ä	Model No.	ENR-01008-N-MPK
MODEL	Туре	8CH EMBEDDED NETWORK VIDEO RECORDER
	Protocols	TCP/IP, UDP, IPv4, IPv6, ICMP, HTTP, HTTPS, DHCP, DNS, DDNS, RTP, RTSP, RTCP, RTMP, FTP, NFS, PPPoE, NTP, UPnP, SMTP, IGMP, Multicast, ARP, SNMP, SSL, P2P
INTERFACE	Compatibility	ONVIF Profile (S, G, T)
	Network	1xRJ45 (10/100 Mbps) Self Adaptive Ethernet Port
Ξ	Serial Interface	N/A
	USB Interface	2xUSB 2.0
	Alarm I/O	4/1
	PoE Interface	8xRJ45 (10/100 Mbps) Self Adaptive Ethernet Port
	PoE Budget	70W
PoE	Power per PoE Port	30 W
_	Max. Current per PoE Port	600 mA
SMART	Alarm Management	Input & Output event, Alarm I/O error, Illegal access, IP Conflict, MAC Conflict, Network Interrupt, PoE overload, Hard disk full, No hard disk Hard disk R/W error, Hard disk overload, HDD SMART check error, Abnormal recording, Abnormal temperature, Motion detection, Tampering (Masking), Smart detection, Video loss
S	Behavior Detection	Intrusion (Perimeter), Crossline (Tripwire), Double Crossline (Double Tripwire)
	Analytics	Loitering, Running, Abandoned object (Object Left), Missing object (Object Lost), Parking, Face Detection (Capture), People Counting, Crowd Detection, On Duty Detection, Abnormal Video & Audio Detection, **Compatible with analytic supported cameras
	SATA	1 SATA Interface
STORAGE	Capacity	Up to 10 TB for each HDD
8	Array Type	N/A
E	e-SATA	N/A
•	ANR	Supported
	Main Processor	Dual Core Embedded Processor
	Operating System	Embedded Linux
	User Permission	32 with multiple privilege level
	Web Client	EyeConnect
	Web Language	14
7	Power	48V DC, 1.875A
8	Redundant Power	N/A
GENERAL	Power Consumption (without HDD)	≤20 W
G	Working Environment	-10 ℃ ~ 55 ℃
	Humidity	10% ~ 90% RH
	Chassis	10
	Dimension	45.1×255×231 mm
	Net Weight	1 kg

Dimension Unit : mm



ORDERING INFORMATION

Part Number	Description	Standard Quantity
ENR-01008-N-MPK	8Ch Embedded Network Video Recorder with 1 HDD Bay, Supports 8# PoE Ports, 4K Cameras, HDMI, VGA and ONVIF	1

8CH EMBEDDED NETWORK VIDEO RECORDER



ENR-01008-N-MPK

PACKING INFORMATION

Part Number	Packing Mode	Gross weight(Kg)	Dimension(mm)
ENR-01008-N-MPK	Carton Box	1.9	45.1×255×231