

Desktop Delegate Microphone



DESCRIPTION

The NVS-DC600032CM is a Desktop Delegate Microphone. It can achieve the voice controller on/off operation in VOICE mode. It is a electret, heart shaped, directive, condenser type microphone, with double color ring type indicating lights (red/green).

FEATURES

- ⦿ Compliant with IEC 60914 international standard
- ⦿ Electret, heart shaped, directive, condenser type microphone
- ⦿ With double color ring type indicating lights (red/green)
- ⦿ Microphone rod is removable, so it is easy to maintain and store
- ⦿ Built-in magnet HiFi speaker
- ⦿ 3.5mm stereo headphone jack for connection of headphones
- ⦿ Each conference unit has a unique ID code
- ⦿ Automatic EQ adjustment function
- ⦿ Connection in "hand in hand" "T" and "+" modes
- ⦿ Powered by the system controller with input voltage being 24V

Specifications


Model	NVS-DC600032CM
Speaker Power	1.5W
Output Frequency Response	45Hz-18kHz(-3dB)
Signal to Noise Ratio	>80dB
Crosstalk Attenuation	>80dB
Total Harmonic Distortion	<0.5%
Headphone Output	9dBu, 8-32Ω, 3.5mm
Static Power Consumption	<1W
Maximum Power Consumption	2W
Working Power Supply	DC 24V
Microphone	
Type	Electret, heart-shaped, condenser
Frequency Response	40Hz-20kHz(-3dB)
Sensitivity	-45dBV/pa

NVS-DC600032CM

Desktop Delegate Microphone

Input Impedance	2K Ω
Max SPL	125dB (THD<3%)
Equivalent Noise	20dB (SPL)

FRONT PANEL



1.5 Pin Spiral Microphone Jack


2.Built In Speaker

3.Headphone Jack

4.Volume Adjusting Knob

5.Microphone ON/OFF Button

REAR PANEL



NVS-DC600032CM



Desktop Delegate Microphone

ORDERING INFORMATION

Part Number	Description	Standard Quantity
NVS-DC600032CM	Desktop Delegate Microphone	01

ACCESSORIES INFORMATION

Description	Standard Quantity
2m Conference cable	1
3 Way Cable Adapter	1
User Manual	1