



### DESCRIPTION


NVS-IP30032SP Waterproof IP Network Column Speaker is a networked all-digital analog-digital conversion signal processor with high fidelity speaker based on TCP/IP transmission protocol, so as to realize modern network display terminal with the overall design of the processor and sound box. Dual network redundancy design can be coupled at any place with access to network. The remote audio data stream can output the audio signal through the machine, and directly send sound from the sound box with intelligent control of the host machine; MP3 program can be played when the network audio stream signal is not played; a-way auxiliary audio input interface is used to connect other audio source device (such as DVD), and a way auxiliary audio output interface is used to connect other power amplifiers, so as to expand the power; The machine also has a microphone interface to achieve local paging.

### FEATURES

- ⊕ Install at any place where the network can arrive
- ⊕ Support maximum 48kHz sampling rate for 16bit digital audio stream decoding
- ⊕ Built-in 2 × 15W digital amplifier, low power consumption.
- ⊕ Can play background music, emergency call, and alarm signal from the host system.
- ⊕ Can control the local output volume and local play state

Specifications		
Model		NVS-IP30032SP
USB/SD /NET/MP3	Frequency Response	20Hz-20kHz
	Distortion	≤0.5%
	S/N	≥70dB
Power supply		AC150-250V/50Hz-60Hz
Weight		3.6kg
Packing size		555x320x205 mm
Dimension		485x150x125 mm

### CONNECTION DIAGRAM



**NVS-IP30032SP**

# 2X15W WATERPROOF IP NETWORK COLUMN SPEAKER

## ORDERING INFORMATION

Part Number	Description	Standard Quantity
NVS-IP30032SP	2x15W Waterproof IP Network Column Speaker	1 No.

## PACKING INFORMATION

Part Number	Packing Mode	Gross Weight(kg)	Dimensions(mm)
NVS-IP30032SP	Carton Box	3.6	555x320x205