

Fireman Microphone for Voice Evacuation System



Evacuation System

DESCRIPTION

NVS-5004FM04EV is a press to talk Microphone System mainly using along with the Voice Evacuation System. It have 4 pre-programable buttons to store the voice alarm with respect to the requirements. It is coming along with wall mountable metal enclosure and lock provision.


FEATURES

- ⊙ Configurable paging priority
- ⊙ Programmable key
- ⊙ MIC real-time control
- ⊙ EVAC Control
- ⊙ Operation permission control
- ⊙ IP30 Standard
- ⊙ Line redundancy

Specifications	
Model	NVS-5004FM04EV
MIC input sensitivity	50mV 600Ω
Frequency Response	80Hz~15kHz (±3dB)
Signal to Noise ratio	>75dB (A weighting)
Harmonic distortion	<1%
Power Supply	PoE (48±3) V/0.1A
Interface Connection	RJ45
Dimension (WxHxD)	302×240×101 mm
Weight	3.2Kg


Fireman Microphone for Voice Evacuation System

FRONT PANEL



1. Power indicator
2. Connection status indicator
3. System fault state indicator
4. Emergency MIC status indicator
5. Aviation socket
6. Emergency voice switch
7. Multi-function key
8. System LED tester
9. EVAC voice message status indicator
10. Function key and status indicator

REAR PANEL



1. Equipment online interface
2. Aviation socket
3. DIP switch

Fireman Microphone for Voice Evacuation System

ORDERING INFORMATION

Part Number	Description	Standard Quantity
NVS-5004FM04EV	Fireman Microphone for Voice Evacuation System	01

ACCESSORIES INFORMATION

Description	Standard Quantity
M4*30 Self tapping screw with cap	04
Plastic expansion pipe, diameter:4MM	04
Crystal Head	02
Microphone	01
Certificate	01
Warranty card	01