

# Chairman Microphone - Digital Conference System



## DESCRIPTION

The NVS-DC900021CM is a chairman unit microphone. It is usually used together with its delegate unit NVS-DC900032CM. In addition to the functions of a delegate microphone unit, this has several priority functions and this has been used by the chairman of a meeting. It is perfect for conference room applications.

## FEATURES

- ⦿ Wired conference Microphone: 8 pin conference cable & CAT5 cable connectivity
- ⦿ With Chairman Only mode
- ⦿ Can be placed at any location in the system circuit
- ⦿ Complete digital-control design
- ⦿ Priority speech function will interrupt speech from other microphones in the system circuit
- ⦿ With a speech switch key and indicator on the base

Specifications	
Model	NVS-DC900021CM
Microphone type	Condenser Microphone
Microphone neck	Elongated type
Indication	Speech Status
Connection Line	RJ45 and 8 Pin connection
Frequency Response	20Hz - 16kHz
Sensitivity	0dB (1V/Pa)
Impedance	1 - 1.9KΩ
Power Consumption	5W
Working Voltage	1.0V - 10V
Weight	0.6Kg
Gooseneck Length	420mm
Base Dimension	150×130×60mm

NVS-DC900021CM



# Chairman Microphone - Digital Conference System

## FRONT PANEL



## REAR PANEL



# Chairman Microphone - Digital Conference System

## DIMENSION

## ORDERING INFORMATION

Part Number	Description	Standard Quantity
NVS-DC900021CM	Chairman Microphone - Digital Conference System	01

## ACCESSORIES INFORMATION

Description	Standard Quantity
2m Conference MIC Cable 8-pin	1
User Manual	1