


32CH EMBEDDED NETWORK VIDEO RECORDER



ENR-08032-N-TSK

FEATURES

- 32 Channel input
- Support Enhanced (H.265, H.264), H.265, H.264 Video Formats
- 8 SATA HDDs Bays
- HDMI and VGA simultaneous output
- Support RAID (0/1/5/6/10)
- eSATA Interface
- ONVIF Profile (S, G, T)



SPECIFICATION

MODEL	Model No.	ENR-08032-N-TSK
	Type	32CH EMBEDDED NETWORK VIDEO RECORDER
VIDEO & AUDIO	Video Input	32-Ch
	Incoming Bandwidth	320Mbps
	Outgoing Bandwidth	256Mbps
	HDMI/VGA Output	HDMI 1: 3840×2160, 1920×1080, 1280×1024, 1024×768 HDMI 2/ VGA: 1920×1080, 1280×1024, 1024×768
	Audio I/O	1-ch Input (RCA)/ 1-ch Output (RCA)
	Two way Audio	Supported
	Screen Split	Main output: 1/4/6/8/9/13/16/25/32/36 (Live view) AUX output: 1/4/6/8/9 (Live view) Max. 32+9CH (Local live view)
	Video Encryption	Supported
	OSD Type	Title, Date and Time
	DECODING	Video Compression
Video Bit Rate		64kbps ~ 10Mbps
Bit Rate Type		CBR, VBR
Audio Compression		G.711A, G.711U
Audio Bit Rate		8 kbps
Recording Resolution		12MP/9MP/8MP/6MP/5MP/4MP/3MP/1080P/1280×1024/960P/720P/960H/D1/CIF
Recording Mode		Continuous, Manual, Event (Pre/Post, Motion etc.), Schedule, Record interval by time
Pre / Post Record Time		Pre (5 sec); Post (10 min)
Fisheye Camera		Supported
De-warping		Supported

★Product specification and availability are subject to change without notice.


32CH EMBEDDED NETWORK VIDEO RECORDER



ENR-08032-N-TSK

MODEL	Model No.	ENR-08032-N-TSK
	Type	32CH EMBEDDED NETWORK VIDEO RECORDER
MONITORING	Preview Capability	1x16MP / 4x12MP / 9x5MP / 16x1080P / 32xD1
	Synchronous Playback	1x16MP / 4x8MP / 9x1080P / 16x1080P / 32xD1
	Live View Functions	Screen matrix, Stream type, System alarm, Snapshot, Record, Talkback, Volume adjustment, Full screen, Digital zoom
	Playback Functions	Sync playback, Play, Pause, Stop, Fast play, Slow play, Full Screen, Backup selection, Snapshot, Clip management, Screen matrix, Stream type
	Corridor Mode	Supported
	Backup Mode	USB, Network, e-SATA
	Export Picture Format	JPG
	Export Video Format	MP4, AVI
	Download from Edge storage	MP4, AVI
INTERFACE	Protocols	TCP/IP, UDP, IPv4, IPv6, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, PPPoE, NTP, UPnP, SMTP, IGMP, ARP, SSL, SNMP, P2P, NFS, SSH, 802.1x
	Compatibility	ONVIF Profile (S, G, T)
	Network	2xRJ45 (10/100/1000 Mbps) Self Adaptive Ethernet Port
	Serial Interface	1xRS485
	USB Interface	1xUSB 3.0, 2xUSB 2.0
SMART	Alarm I/O	16/4
	Behavior Detection	Intrusion (Perimeter), Crossline (Tripwire), Double Crossline (Double Tripwire)
	Smart Analytics	Loitering, Abandoned object (Object Left), Missing object (Object Lost), Parking, Heatmap, Face Detection (Capture), People Counting, Crowd Detection, Abnormal Video & Audio Detection, Auto Tracking * Compatible with analytic supported cameras
STORAGE	Alarm Management	Input & Output event, Alarm I/O Error, Illegal Access, IP Conflict, MAC Conflict, Network Interrupt, Hard Disk Full, No Hard Disk, Hard Disk RW error, HDD SMART Check Error, Abnormal recording, Abnormal Temperature, Hot Spare Error & Array Error, Motion detection, Tampering (Masking), Smart Detection, Video Loss
	SATA	8 SATA Interfaces
	Capacity	Up to 10TB for each HDD
	Array Type	RAID 0/1/5/6/10, Hot Spare
GENERAL	eSATA	Supported
	Operating System	Embedded Linux
	User Permission	128
	Web Language	14
	Power	100 ~ 240V AC
	Redundant Power	N/A
	Power Consumption	≤30W (without HDD)
	Working Environment	-10°C ~ 50°C
	Humidity	10% ~ 90%RH
	Chassis	2U
Dimension	445x436x90 mm	
Net Weight	7.5 Kg	

Dimension Unit : mm



★Product specification and availability are subject to change without notice.

32CH EMBEDDED NETWORK VIDEO RECORDER



ENR-08032-N-TSK

ORDERING INFORMATION

Part Number	Description	Standard Quantity
ENR-08032-N-TSK	32Ch Network Video Recorder with 8 Hot Swappable HDD Bays Supports 4K Cameras, RAID, HDMI, VGA, Smart Analytics and ONVIF	1

PACKING INFORMATION

Part Number	Packing Mode	Gross weight(Kg)	Dimension(mm)
ENR-08032-N-TSK	Carton Box	-	-

★Product specification and availability are subject to change without notice.